FEBS Letters 349 (1994) 448–450

Contents to volume 349

Research Letters

Calcium is necessary in the cell response to EM fields (FEBS 14232) *R. Karabakhtsian, N. Broude, N. Shalts, S. Kochlatyi, R. Goodman, A.S. Henderson* 1

Inhibition of cellular response to platelet-derived growth factor by low M_r phosphotyrosine protein phosphatase overexpression (FEBS 14234) *A. Berti, S. Rigacci, G. Raugei, D. Degl'Innocenti, G. Ramponi* 7

Priming effect of hydroxyapatite on the chemiluminescence response in human polymorphonuclear leukocytes (FEBS 14240) *M. Nagase, H. Nishiya, M. Noda* 13

Phosphoryl exchange is involved in the mechanism of the insulin receptor kinase (FEBS 14246) *H. Al-Hasani, W. Paßlack, H.W. Klein* 17

Purification and characterization of the 210-amino acid recombinant basic fibroblast growth factor form (FGF-2) (FEBS 14247) *V. Patry, B. Bugler, F. Amalric, J.-C. Promé, H. Prats* 23

The amphipathic α-helix concept: Application to the de novo design of ideally amphipathic Leu, Lys peptides with hemolytic activity higher than that of melittin (FEBS 14235) *I. Cornut, K. Büttner, J.-L. Dasseux, J. Dufourcq* 29

ARF1(2–17) does not specifically interact with ARF1-dependent pathways: Inhibition by peptide of phospholipases Cβ, D and exocytosis in HL60 cells (FEBS 14248) *A. Fensome, E. Cunningham, O. Troung, S. Cockcroft* 34

Protein-associated pigments that accumulate in the brunescent eye lens: Identification of a quinoline derivative (FEBS 14249) *M. Luthra, D. Ranganathan, S. Ranganathan, D. Balasubramanian* 39

TIMP-1 protein expression is stimulated by IL-1β and IL-6 in primary rat hepatocytes (FEBS 14250) *E. Roeb, L. Graeve, J. Müllberg, S. Matern, S. Rose-John* 45

Directed mutagenesis of pig renal membrane dipeptidase: His^{219} is critical but the DHXXH motif is not essential for zinc binding or catalytic activity (FEBS 14251) *S. Keynan, N.M. Hooper, A.J. Turner* 50

Enzyme-aided construction of medium-sized alditols of complete O-linked saccharides: The constructed hexasaccharide alditol Galβ1–4GlcNAcβ1–6Galβ1–4GlcNAcβ1–6(Galβ1–3)GalNAc-ol resists the action of endo-β-galactosidase from *Bacteroides fragilis* (FEBS 14252) *H. Maaheimo, L. Penttilä, O. Renkonen* 55

Efficient product clearance through exit channels in substrate hydrolysis by acetylcholinesterase (FEBS 14194) *I.M. Kovach, N. Qian, A. Bencsura* 60

Efficient interaction of recA protein with fluorescent dye-labeled oligonucleotides (FEBS 14254) *A.A. Volodin, H.A. Smirnova, T.N. Bocharova* 65

Characterisation of the porin of *Rhodobacter capsulatus 37b4* in planar lipid bilayers (FEBS 14253) *N.D. Bishop, E.J.A. Lea* 69

Autoregulation of the human WT1 gene promoter (FEBS 14256) *K.T.A. Malik, V. Poirier, S.M. Ivins, K.W. Brown* 75

Solution structure of human interleukin-1 receptor antagonist protein (FEBS 14257) *B.J. Stockman, T.A. Scahill, N.A. Strakalaitis, D.P. Brunner, A.W. Yem, M.R. Deibel Jr.* 79

Infrared studies of interaction between metal ions and Ca^{2+}-binding proteins: Marker bands for identifying the types of coordination of the side-chain COO^- groups to metal ions in pike parvalbumin (pI = 4.10) (FEBS 14259) *M. Nara, M. Tasumi, M. Tanokura, T. Hiraoki, M. Yazawa, A. Tsutsumi* 84

The third exoplasmic loop of the thyrotropin receptor is partially involved in signal transduction (FEBS 14260) *S. Kosugi, T. Mori* 89

Crystal structure of the cyanide-inhibited *Xenopus laevis* Cu,Zn superoxide dismutase at 98 K (FEBS 14265) *K.D. Carugo, A. Battistoni, M.T. Carrì, F. Polticelli, A. Desideri, G. Rotilio, A. Coda, M. Bolognesi* 93

Ligand–receptor interactions in the nicotinic acetylcholine receptor probed using multiple substitutions at conserved tyrosines on the α subunit (FEBS 14263) *M.L. Aylwin, M.M. White* 99

Alzheimer paired helical filaments: Restoration of the biological activity by dephosphorylation (FEBS 14264) *K. Iqbal, T. Zaidi, C. Bancher, I. Grundke-Iqbal* 104

The βA4 amyloid precursor protein binding to copper (FEBS 14272) *L. Hesse, D. Beher, C.L. Masters, G. Multhaup* 109

A fatty-acid-binding protein from wheat kernels (FEBS 14274) *A. Castagnaro, F. García-Olmedo* 117

Differential tissue expression of Annexin VIII in human (FEBS 14173) *C.P.M. Reutelingsperger, W. van Heerde, R. Hauptmann, C. Maassen, R.G.J. van Gool, P. de Leeuw, A. Tiebosch* 120

Amino acid preferences at protein binding sites (FEBS 14262) *H.O. Villar, L.M. Kauvar* 125

Rate limitation within a single enzyme is directly related to enzyme intermediate levels (FEBS 14231) *B.N. Kholodenko, H.V. Westerhoff, G.C. Brown* 131

Glucosylation of chimeric proteins in the cell wall of *Saccharomyces cerevisiae* (FEBS 14245) *M.A.A. van Berkel, L.H.P. Caro, R.C. Montijn, F.M. Klis* 135

NDF/heregulin stimulates the phosphorylation of Her3/erbB3 (FEBS 14258) *Y.A. Kita, J. Barff, Y. Luo, D. Wen, D. Brankow, S. Hu, N. Liu, S.A. Prigent, W.J. Gullick, M. Nicolson* 139

Cloning and characterization of the entire cDNA encoded by ATP1AL1 – a member of the human Na,K/H,K-ATPase gene family (FEBS 14269) *A.V. Grishin, V.E. Sverdlov, M.B. Kostina, N.N. Modyanov* 144

Cross-linking of β-amyloid protein precursor catalyzed by tissue transglutaminase (FEBS 14277) *G.J. Ho, E.J. Gregory, I.V. Smirnova, M.N. Zoubine, B.W. Festoff* 151

The occupancy of two distinct conformations by active-site histidine-119 in crystals of ribonuclease is modulated by pH (FEBS 14278) *V.S.J. de Mel, M.S. Doscher, P.D. Martin, B.F.P. Edwards* 155

Errata and Corrigenda 161

Minireview

Structure–function relationships in the receptor for urokinase-type plasminogen activator: Comparison to other members of the Ly-6 family and snake venom α-neurotoxins (FEBS 14288) *M. Ploug, V. Ellis* 163

Research Letters

Hydroxyl radical generation in skeletal muscle atrophied by immobilization (FEBS 14255) *H. Kondo, K. Nishino, Y. Itokawa* 169

Production and characterization of monoclonal antibodies specific to multi-ubiquitin chains of polyubiquitinated proteins (FEBS 14261) *M. Fujimuro, H. Sawada, H. Yokosawa* 173

Saposin C induces pH-dependent destabilization and fusion of phosphatidylserine-containing vesicles (FEBS 14273) *A.M. Vaccaro, M. Tatti, F. Ciaffoni, R. Salvioli, A. Serafino, A. Barca* 181

Recoverin mediates the calcium effect upon rhodopsin phosphorylation and cGMP hydrolysis in bovine retina rod cells (FEBS 14275) *E.N. Gorodovikova, A.A. Gimelbrant, I.I. Senin, P.P. Philippov* 187

Subtypes of inositol 1,4,5-trisphosphate receptor in human hematopoietic cell lines: dynamic aspects of their cell-type-specific expression (FEBS 14276) *T. Sugiyama, M. Yamamoto-Hino, A. Miyawaki, T. Furuichi, K. Mikoshiba, M. Hasegawa* 191

Bilirubin and ascorbate antioxidant activity in neonatal plasma (FEBS 14280) *V. Gopinathan, N.J. Miller, A.D. Milner, C.A. Rice-Evans* 197

G_q and G_{11} are concurrently activated by bombesin and vasopressin in Swiss 3T3 cells (FEBS 14281) *S. Offermanns, E. Heiler, K. Spicher, G. Schultz* 201

Existence of a molecular ruler in proteasomes suggested by analysis of degradation products (FEBS 14279) *T. Wenzel, C. Eckerskorn, F. Lottspeich, W. Baumeister* 205

Amyloid precursor protein secretion and βA4 amyloid generation are not mutually exclusive (FEBS 14285) *T. Dyrks, U. Mönning, K. Beyreuther, J. Turner* 210

Identification of the essential yeast protein MIM17, an integral mitochondrial inner membrane protein involved in protein import (FEBS 14283) *A.C. Maarse, J. Blom, P. Keil, N. Pfanner, M. Meijer* 215

The polytopic mitochondrial inner membrane proteins MIM17 and MIM23 operate at the same preprotein import site (FEBS 14284) *M. Kübrich, P. Keil, J. Rassow, P.J.T. Dekker, J. Blom, M. Meijer, N. Pfanner* 222

Retinoic acid up-regulates erythropoietin production in hepatoma cells and in vitamin A-depleted rats (FEBS 14287) *M. Okano, S. Masuda, H. Narita, S. Masushige, S. Kato, S. Imagawa, R. Sasaki* 229

6-Fluoropyridoxol: a novel probe of cellular pH using ^{19}F NMR spectroscopy (FEBS 14289) *V.D. Mehta, P.V. Kulkarni, R.P. Mason, A. Constantinescu, S. Aravind, N. Goomer, P.P. Antich* 234

Interaction of the calcium and calmodulin regulated eEF-2 kinase with heat shock protein 90 (FEBS 14290) *K. Palmquist, B. Riis, A. Nilsson, O. Nygård* 239

Transcription initiation sites for the potato mitochondrial gene coding for subunit 9 of ATP synthase (*atp9*) (FEBS 14291) *L. Lizama, L. Holuigue, X. Jordana* 243

Binding of retinoids to uteroglobin (FEBS 14292) *M.S.L. de Haro, M.P. Martínez, C. García, A. Nieto* 249

Serine-202 is the putative precursor of the active site dehydroalanine of phenylalanine ammonia lyase: Site-directed mutagenesis studies on the enzyme from parsley (*Petroselinum crispum* L.) (FEBS 14295) *B. Schuster, J. Rétey* 252

Metastatic potential of transformed rat 3Y1 cell lines is inversely correlated with lysosomal-type sialidase activity (FEBS 14296) *T. Miyagi, K. Sato, K. Hata, S. Taniguchi* 255

Transfer RNA binding protein in the nucleus of *Saccharomyces cerevisiae* (FEBS 14297) *M.L. Wilhelm, J. Reinbolt, J. Gangloff, G. Dirheimer, F.X. Wilhelm* 260

Immunological significances of invariant chain from the aspect of its structural homology with the cystatin family (FEBS 14271) *N. Katunuma, H. Kakegawa, Y. Matsunaga, T. Saibara* 265

Catabolite inactivation of fructose-1,6-bisphosphatase in yeast is mediated by the proteasome (FEBS 14282) *S.M. Schork, G. Bee, M. Thumm, D.H. Wolf* 270

Isolation of autophagocytosis mutants of *Saccharomyces cerevisiae* (FEBS 14286) *M. Thumm, R. Egner, B. Koch, M. Schlumpberger, M. Straub, M. Veenhuis, D.H. Wolf* 275

Ability of MBP or RBP signal peptides to influence folding and in vitro translocation of wild-type and hybrid precursors (FEBS 14298) *M.J.C. Rosemond, S.M. Strobel, P.H. Ray, P.J. Bassford Jr.* 281

The cupredoxin fold is found in the soluble Cu_A and CyoA domains of two terminal oxidases (FEBS 14308) *P. Wittung, B. Källebring, B.G. Malmström* 286

Voltage-dependent Ca^{2+} channels in Chinese hamster ovary (CHO) cells (FEBS 14304) *R. Skryma, N. Prevarskaya, P. Vacher, B. Dufy* 289

Oligomerization of an avian thymic parvalbumin: Chemical evidence for a Ca^{2+}-specific conformation (FEBS 14305) *R.C. Hapak, H. Zhao, M.T. Henzl* 295

Synthesis and characterization of photoactivatable peptide agonists of the human thrombin receptor (FEBS 14306) *R. Bischoff, Y. Cordier, U.B. Rasmussen, Y. Schlesinger, C. Gachet, M. Jaquinod, B. Tripet, P.C.S. Chong, A. Pavirani* 301

Cloning and chromosomal localization of the gene coding for human protein kinase CK1 (FEBS 14293) *C. Tapia, T. Featherstone, C. Gómez, P. Taillon-Miller, C.C. Allende, J.E. Allende* 307

Glucagon-like peptide 1: a potent glycogenic hormone (FEBS 14313) *I. Valverde, M. Morales, F. Clemente, M.I. López-Delgado, E. Delgado, A. Perea, M.L. Villanueva-Peñacarrillo* 313

Erratum and Corrigendum 317

Research Letters

Molecular structure of the cyanobacterial tumor-promoting microcystins (FEBS 14294) *S. Rudolph-Böhner, D.F. Mierke, L. Moroder* 319

The N-terminal region of the α-subunit of the TRAP complex has a conserved cluster of negative charges (FEBS 14307) *E. Hartmann, S. Prehn* 324

Concanamycin A blocks influenza virus entry into cells under acidic conditions (FEBS 14309) *R. Guinea, L. Carrasco* 327

Q- and L-type Ca^{2+} channels dominate the control of secretion in bovine chromaffin cells (FEBS 14310) *M.G. López, M. Villarroya, B. Lara, R.M. Sierra, A. Albillos, A.G. García, L. Gandía* 331

Immunochemical identification and translocation of protein kinase C zeta in human neutrophils (FEBS 14314) *P.M.-C. Dang, J. Hakim, A. Périanin* 338

Expression of different mitogen-regulated protein/proliferin mRNAs in Ehrlich carcinoma cells (FEBS 14312) *B. Gil-Torregrosa, J.L. Urdiales, J. Lozano, J.M. Mates, F. Sanchez-Jimenez* 343

The *Rhodobacter sphaeroides* PufX protein is not required for photosynthetic competence in the absence of a light harvesting system (FEBS 14315) *P. McGlynn, C.N. Hunter, M.R. Jones* 349

Artificial antifreeze proteins can improve NaCl tolerance when expressed in *E. coli* (FEBS 14319) *N. Holmberg, G. Lilius, L. Bülow* 354

PHF-tau from Alzheimer's brain comprises four species on SDS-PAGE which can be mimicked by in vitro phosphorylation of human brain tau by glycogen synthase kinase-3β (FEBS 14316) *S.F.C. Mulot, K. Hughes, J.R. Woodgett, B.H. Anderton, D.P. Hanger* 359

Internalization of the rat AT_{1a} and AT_{1b} receptors: pharmacological and functional requirements (FEBS 14317) *S. Conchon, C. Monnot, B. Teutsch, P. Corvol, E. Clauser* 365

The conformational analysis of a synthetic S4 peptide corresponding to a voltage-gated potassium ion channel protein (FEBS 14318) *P.I. Haris, B. Ramesh, S. Brazier, D. Chapman* 371
Apolipoprotein oxidation in the absence of lipid peroxidation enhances LDL uptake by macrophages (FEBS 14320) *J.V. Hunt, J.R. Bailey, D.L. Schultz, A.G. McKay, M.J. Mitchinson* 375
Influence of the conformation of a macromolecule on the generation of T-cell proliferative response: A study with model polypeptides (FEBS 14322) *E. Lacassie, A. Delmas, Y. Trudelle* 380
DNA fragmentation into 200–250 and/or 30–50 kilobase pair fragments in rat liver nuclei is stimulated by Mg^{2+} alone and Ca^{2+}/Mg^{2+} but not by Ca^{2+} alone (FEBS 14321) *K. Cain, S.H. Inayat-Hussain, J.T. Wolfe, G.M. Cohen* 385
Antioxidant system in rat testicular cells (FEBS 14323) *F. Bauché, M.-H. Fouchard, B. Jégou* 392
The characterisation of the shikimate pathway enzyme dehydroquinase from *Pisum sativum* (FEBS 14324) *R.K. Deka, I.A. Anton, B. Dunbar, J.R. Coggins* 397
An increase in the energy coupling capacity of submitochondrial particles in the presence of lanthanides (FEBS 14325) *V.G. Grivennikova, E.V. Gavrikova, A.D. Vinogradov* 403
ATP/ADP antiporter is involved in uncoupling of plant mitochondria induced by low concentrations of palmitate (FEBS 14326) *A. Vianello, E. Petrussa, F. Macrì* 407
Motility and chemotaxis in *Bacillus sphaericus*: Dependence upon stage of growth (FEBS 14329) *J. Andreev, P.A. Dibrov, S. Braun* 411
Chemotaxis, sporulation, and larvicide production in *Bacillus sphaericus* 2362: The influence of L-ethionine, and of aminophenylboronic acid (FEBS 14328) *J. Andreev, P.A. Dibrov, D. Klein, S. Braun* 416
Altered chemotaxis of a *Bacillus sphaericus* L-ethionine-resistant sporulation mutant: A probable link between chemotaxis and sporulation (FEBS 14327) *J. Andreev, P.A. Dibrov, S. Braun* 420
Na^+-driven ATP synthesis in *Methanobacterium thermoautotrophicum* and its differentiation from H^+-driven ATP synthesis by rhodamine 6G (FEBS 14330) *P. Šmigán, A. Majerník, M. Greksák* 424
The studies of cooperative regions in T7 RNA polymerase (FEBS 14332) *I.I. Protasevich, L.V. Memelova, S.N. Kochetkov, A.A. Makarov* 429
Construction and in vivo analysis of new split lactose permeases (FEBS 14333) *W. Wrubel, U. Stochaj, R. Ehring* 433
Binding of GM1 ganglioside to a synthetic peptide derived from the lysosomal sphingolipid activator protein saposin B (FEBS 14331) *M.-J. Champagne, S. Lamontagne, M. Potier* 439

Erratum 442

Author Index to volume 349 443

Contents to volume 349 448